

In re Patent Application of
TAUZIA
Serial No. **Not Yet Assigned**
Filed: **Herewith**

comprising a plurality of teletext pages with each teletext page being broadcast as a set of data packets, the method comprising:

receiving a teletext page with the set of data packets including a first data packet comprising at least one label referring to another teletext page, and including a second data packet associated with the first data packet and comprising a page number associated with the at least one label;

decoding the first and second data packets to obtain the at least one label and the associated page number; and

storing the at least one label and the associated page number in a memory to be used for the displaying of the index.

15. A method according to Claim 14, wherein the receiving, decoding and storing are performed in cycles at each reception of a teletext page.

16. A method according to Claim 14, wherein the first data packet comprises a plurality of labels, each label referring to another teletext page; and wherein the second data packet comprises a respective page number associated with each label of the first data packet; and wherein the plurality of labels and associated page numbers are stored in the memory.

17. A method according to Claim 16, further comprising displaying the index at a user's request based upon contents of the memory.

In re Patent Application of
TAUZIA
Serial No. **Not Yet Assigned**
Filed: **Herewith**

24. A method according to Claim 14, further comprising determining if the storing is being executed before the reading, and then performing the reading if the storing is not being executed.

25. A method according to Claim 14, wherein the teletext program is in accordance with the European Telecommunications Standard (ETS).

26. A method for displaying an index of a teletext program on a television screen comprising:

receiving the teletext program comprising at least one teletext page comprising a set of data packets including a first data packet comprising at least one label referring to another teletext page, and including a second data packet associated with the first data packet and comprising a page number associated with the at least one label;

decoding the first and second data packets to obtain the at least one label and the associated page number;

storing the at least one label and the associated page number in a memory; and

displaying the index at a user's request based upon contents of the memory.

27. A method according to Claim 26, wherein the receiving, decoding and storing are performed in cycles at each reception of a teletext page.

28. A method according to Claim 26, wherein the first data packet comprises a plurality of labels, each label referring to another teletext page; and wherein the second

In re Patent Application of
TAUZIA
Serial No. **Not Yet Assigned**
Filed: **Herewith**

data packet comprises a respective page number associated with each label of the first data packet; and wherein the plurality of labels and associated page numbers are stored in the memory.

29. A method according to Claim 28, wherein displaying the index comprises:

reading the plurality of labels and associated page numbers from the memory; and

creating the index comprising at least one page comprising a list of labels and associated page numbers.

30. A method according to Claim 29, wherein displaying the index comprises sorting the plurality labels and associated page numbers.

31. A method according to Claim 30, wherein the plurality of labels are sorted by alphabetical order.

32. A method according to Claim 30, wherein the plurality of labels are sorted by theme.

33. A method according to Claim 26, wherein the displaying comprises:

storing the index in a first display memory if the index comprises a single page; and

storing a first page of the index in the first display memory and storing other pages of the index in a second display memory if the index comprises a plurality of pages.

In re Patent Application of
TAUZIA
Serial No. **Not Yet Assigned**
Filed: **Herewith**

38. A television according to Claim 37, wherein said decoder comprises a plurality of logic gates for decoding the first and second data packets.

39. A television according to Claim 37, wherein said decoder comprises a set of software instructions for decoding the first and second data packets.

40. A television according to Claim 37, wherein the first data packet comprises a plurality of labels, each label referring to another teletext page; and wherein the second data packet comprises a page number associated with each label of the first packet; and wherein the plurality of labels and associated page numbers are stored in said memory.

41. A television according to Claim 37, wherein said screen displays the index at a user's request.

42. A television according to Claim 40, wherein said screen displays the index by reading the labels and associated page numbers from said memory, and creates the index including at least one page each comprising a list of labels and associated page numbers.

43. A television according to Claim 42, wherein said screen sorts the labels and associated page numbers.

44. A television according to Claim 43, wherein the labels are sorted by alphabetical order.